

# System 3R – Preventive maintenance & inspection Reference & zero point systems



## **Preventive maintenance & inspection**

# **Avoid unexpected production stops**

### Why annual maintenance?

Regular reconditioning minimises production stops and optimises function, precision and performance. Worn parts are replaced with new.

Note: Air quality has a great effect on service intervals. Class 5.3.5 ISO 8573-1 air quality is a requirement. The air must always be dry.

If maintenance is omitted, the following can happen:

- Compromised thrust/clamping force (e.g. dirt and • rusty springs - chuck compromised). The precision of produced parts is compromised.
- Seized up chuck (dirt, rusted springs and aged O-rings are impossible to detect). Especially in automated plant, there can be knock-on damage.

### This is how it works

System 3R's products are precision tools and must, therefore, be treated as such. So that equipment and plant can always give peak performance, we offer our "Preventive maintenance and inspection" service. System 3R's precision tools are built to give extremely long service. To ensure that stated tolerances are respected, annual maintenance and inspection are required. We begin with a review of your System 3R products and establish possible needs. If you want us to, we will also check whether training is required.


### Always in top condition!

Production stops mean lost hours of production. So that equipment and plant can always give peak performance, we offer our "Preventive maintenance and inspection" service. System 3R's products are built to give extremely long service. To ensure this durability, annual maintenance and inspection are required.


Planned maintenance reduces unplanned production stops. Preventive maintenance can be scheduled on the basis of calendar time or operating time. Planned maintenance should be carried out at least once every 12 months.

- High quality assured with System 3R servicing
- Servicing as per the service schedule.
- Authorised service technicians.
- Always original parts.
- Maintained precision and performance.
- Regular offers for "call-back visits" when it is time for maintenance and inspection.

### Broken O-ring - Many years in use with no maintenace.




### Examples of chucks in our service programme







Chuck, GPS 240




Chuck, Delphin

Chuck, MacroMagnum

Chuck, Dynafix

Integrated chuck, Macro



Expensive production stops can be avoided with regular maintenance intervals

# <complex-block>

### Certificate

We complete the checklist and date the report. The documentation assures the quality of the performed work and provides peace of mind in guarantee cases.



### **Terms and conditions**

To minimise productions stops, all work is carried out at the customer's premises, whenever possible. Note: Complex products such as B axis and rotating spindles are serviced in our own facilities (Sweden or Switzerland).

Preventive maintenance and inspection should be arranged via your local service centre. For contact details, please refer to www.system3r.com.

# System 3R's Customer Services

- Ensuring productivity.
- Reducing running costs and wasted parts.
- Maximizing the return on your System 3R investments.
- Extending the product lifetime of your System 3R equipment while maintaining optimum precision.
- Ensuring robot cell safety satisfies present machine directives.

System 3R's Customer Services is uniquely positioned to help you maximize the availability, value, precision and productivity of your System 3R equipment. Our cost-effective, customer-centric and expert services put your success at the center, ramp up your productivity and ensure predictable, uninterrupted uptime. System 3R's service engineers are your expert partners for a wide range of success-triggering services.

For contact details, please refer to: www.system3r.com.

